

14

CLAIMS

1. A portable terminal comprising:

a photographic unit for photographing an object;

5 an acceleration sensor for measuring acceleration; and

a control unit for disabling photographing by the photographic unit when the acceleration sensor produces a predetermined output after the photographic unit is set to a photographic mode.

10 2. The portable terminal according to claim 1, wherein, when, within a predetermined period of time after the photographic unit is put into a photograph disabling state, the output of the acceleration sensor does not satisfy the predetermine output, the control unit cancels the photograph disabling state after a predetermined period of time.

15

3. A portable terminal comprising:

a photographic unit for photographing an object;

an acceleration sensor for measuring acceleration; and

20 a control unit for prohibiting preservation of the data photographed by the photographic unit when the acceleration sensor produces a predetermined output after the photographic unit is set to a photographic mode.

4. A portable terminal comprising:

a photographic unit for photographing an object;

25 an acceleration sensor for measuring acceleration; and

15

a control unit for erasing the temporarily stored data photographed by the photographic unit and canceling a photographic mode when the acceleration sensor produces a predetermined output after the photographic unit is set to the photographic mode.

5

5. A portable terminal comprising:

a photographic unit for photographing an object;

an acceleration sensor for measuring acceleration; and

a control unit for prohibiting display of the data photographed by the

10 photographic unit when the acceleration sensor produces a predetermined output after the photographic unit is set to the photographic mode.

6. A portable terminal comprising:

a photographic unit for photographing an object;

15 an acceleration sensor for measuring acceleration; and

a control unit for prohibiting preservation of the data photographed by the photographic unit and ending a photographic operation when the acceleration sensor produces a predetermined output during the time the photographic unit is photographing.

20 7. The portable terminal according to any one of claims 1 to 6, further comprising a display unit for displaying acceleration measured by the acceleration sensor.

8. A portable terminal comprising:

a photographic unit for photographing an object;

25 a detector unit for detecting a number of times for handoff for a predetermined

16

period of time;

a control unit for disabling photographing by the photographic unit when the detector unit detects more than a predetermined number of times for handoff after the photographic unit is set to a photographic mode.

5

9. A portable terminal comprising:

a photographic unit for photographing an object;

a detector unit for detecting a number of times for position record for a predetermined period of time; and

10 a control unit for disabling photographing by the photographic unit when the detector unit detects more position records than a predetermined number of times after the photographic unit is set to a photographic mode.